

**Assessment of Ecoregional Dissolved Oxygen Regimes
Data Report for 2006 Study Season**

PREPARED FOR:

ENVIRONMENTAL RESOURCES COALITION

3118 Emerald Lane
Jefferson City, MO 65109

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Water Protection Program
P.O. Box 176
Jefferson City, MO 65102

U.S. ENVIRONMENTAL PROTECTION AGENCY

Region 7
901 N. 5th Street
Kansas City, KS 66101

April 2008

PREPARED BY:

MEC WATER RESOURCES, INC.

1123 Wilkes Blvd., Suite 400
Columbia, MO 65201

TABLE OF CONTENTS

1. INTRODUCTION	1
2. STUDY AREA	3
2.1 Little Drywood Creek	5
2.2 Cedar Creek	8
2.3 Heaths Creek	11
3. MATERIALS AND METHODS	14
4. RESULTS	16
4.1 Quality Assurance Summary	16
4.2 Reference Stream Continuous Data	16
4.3 Reference Stream Discrete Data	31
4.4 Tributary Discrete Data	39
4.5 Stream Metabolism	40
5. DISCUSSION	45
5.1 Prevalence of Dissolved Oxygen Below Water Quality Criteria in the Osage Plains	45
5.2 Trophic State	48
5.3 Streamflow Influences	48
5.4 Statistical Dissolved Oxygen Correlations	50
5.5 Dissolved Oxygen Sources and Sinks	52
6. PROJECT CONTACT INFORMATION	58
7. REFERENCES	59

FIGURES

- Figure 1. Location of Study Watersheds and Ecological Drainage Unit Boundaries
- Figure 2. Little Drywood Creek Study Area and 2005 Landuse Distribution
- Figure 3. Cedar Creek Study Area and 2005 Landuse Distribution
- Figure 4. Heaths Creek Study Area and 2005 Landuse Distribution
- Figure 5. Boxplot Comparison of Complete-Day ($n \geq 84$ per day) Dissolved Oxygen Concentration Data for AERDOR Reference Streams with Comparable Periods of Record (7/12/2006 – 9/14/2006)
- Figure 6. Time Trends in Observed Daily Minimum Dissolved Oxygen Concentrations ($n=354$) for AERDOR Reference Streams with Comparable Periods of Record (7/12/2006 – 9/13/2006)
- Figure 7. Frequency Comparison of Complete-Day ($n \geq 84$ per day) Dissolved Oxygen Concentration Data for AERDOR Reference Streams with Comparable Periods of Record (7/12/2006 – 9/14/2006)
- Figure 8. Longitudinal Dissolved Oxygen Comparison between Stationary vs. Mobile Monitoring Sites for Little Drywood Creek
- Figure 9. Longitudinal Dissolved Oxygen Comparison between Monitoring Sites for Cedar Creek
- Figure 10. Boxplot Comparison of Complete-Day ($n \geq 84$ per day) Dissolved Oxygen Percent Saturation Data for AERDOR Reference Streams with Comparable Periods of Record (7/12/2006 - 9/14/2006)
- Figure 11. Boxplot Comparison of Complete-Day ($n \geq 84$ per day) Water Temperature Data for AERDOR Reference Streams with Comparable Periods of Record (7/12/2006 – 9/14/2006)
- Figure 12. Timeseries Comparison of Complete Day ($n \geq 84$ per day) Specific Conductance Data for AERDOR Reference Streams (7/12/2006 – 9/14/2006)
- Figure 13. Level and Streamflow Timeseries for AERDOR Reference Streams Collected During 2006 Study Season (07/12/2006 to 09/14/2006)
- Figure 14. Boxplot Comparison of Complete-Day ($n \geq 84$ per day) Photopic Daylight Intensity Data for AERDOR Reference Streams with Comparable Periods of Record (7/12/2006 – 9/14/2006)
- Figure 15. Baseflow and Runoff-Influenced Total Phosphorus Concentrations in Relation to 25th Percentile Level III Ecoregion Nutrient Benchmarks. Data Collected in AERDOR Reference Streams from 7/12/2006 to 9/14/2006 ($n=9$ samples per stream)
- Figure 16. Baseflow and Runoff-Influenced Total Nitrogen Concentrations in Relation to 25th Percentile Level III Ecoregion Nutrient Benchmarks. Data Collected in AERDOR Reference Streams from 7/12/2006 to 9/14/2006 ($n=9$ samples per stream)
- Figure 17. Baseflow and Runoff-Influenced Suspended Chlorophyll-a Concentrations in Relation to 25th Percentile Aggregated Ecoregion Nutrient Benchmarks. Data Collected in AERDOR Reference Streams from 7/12/2006 to 9/14/2006 ($n=9$ samples per stream)

FIGURES

- Figure 18. Baseflow and Runoff-Influenced Discrete Benthic Chlorophyll-a Scrapings in Relation to Benchmarks Developed by the USEPA Region 7 Regional Technical Assistance Group. Data Collected in AERDOR Reference Streams from 7/12/2006 to 9/14/2006 (n=9 samples per stream)
- Figure 19. Suspended Solids Composition Timeseries in AERDOR Reference Streams for the Period of 07/12/2006 to 09/14/2006
- Figure 20. Biochemical Oxygen Demand and Stream Level Timeseries in AERDOR Reference Streams for the Period of 7/12/2006 to 9/14/2006
- Figure 21. Light and Temperature Dependent Stream Metabolism Equation
- Figure 22. Model Performance Resulting From Presence vs. Absence of Light Dependence Functions within the Delta Method Framework. Little Drywood Creek on 07/29 to 07/30
- Figure 23. Timeseries of Expressed Average Daily Areal Production Rates for AERDOR Reference Streams During Chemistry Sampling Events
- Figure 24. Timeseries of Expressed Average Daily Areal Respiration Rates for AERDOR Reference Streams during Chemistry Sampling Events
- Figure 25. Timeseries of Gross Photosynthesis to Community Respiration (P/R) Ratios for AERDOR Reference Streams during Chemistry Sampling Events
- Figure 26. Osage Plains Discrete and Continuous Dissolved Oxygen Monitoring Sites Not Significantly Impacted by Continuous Point Source Discharges. Data Queried in 2007 from Databases Maintained by the Missouri Department of Natural Resources.
- Figure 27. Continuous Level and Dissolved Oxygen Concentration Timeseries in AERDOR Reference Streams for the Period of 7/12/2006 to 9/14/2006
- Figure 28. Timeseries of Best-Fit Reaeration Rates (at 20°C) and Average Daylight Light Intensity at Cedar Creek Site CC1 During the 2006 Study Period
- Figure 29. Conceptual Model of Dissolved Oxygen Sources and Sinks in AERDOR Study Streams
- Figure 30a. Predicted vs. Observed Average Daily Photosynthesis and Respiration for Selected Days at Little Drywood Creek Site LDC2
- Figure 30b. Calibrated Respiration Components for Little Drywood Creek Site LDC2
- Figure 31a. Predicted vs. Observed Average Daily Photosynthesis and Respiration for Selected Days at Cedar Creek Site CC1
- Figure 31b. Calibrated Respiration Components for Cedar Creek Site CC1
- Figure 32a. Predicted vs. Observed Average Daily Photosynthesis and Respiration for Selected Days at Heaths Creek Site HC2
- Figure 32b. Calibrated Respiration Components for Heaths Creek Site HC2
- Figure 33. Predicted Influence of Increasing Baseflow on Diel Minimum Dissolved Oxygen Concentrations for Selected AERDOR Reference Sites. Based on Summer Mean Temperature, Light, Loading, and Fixed Plant Conditions

TABLES

- Table 1a. Primary Macroinvertebrate Metrics for Little Drywood Creek. Based on Sixteen MDNR Collections between Spring 1995 to Fall 2003
- Table 1b. Primary Macroinvertebrate Metrics for Little Drywood Creek. Based on Three MDC Collections during the Fall of 2002, 2003, and 2004
- Table 2a. Primary Macroinvertebrate Metrics for Cedar Creek. Based on Four MDNR Collections between Spring 2001 to Spring 2004
- Table 2b. Primary Macroinvertebrate Metrics for Cedar Creek. Based on Three MDC Collections during the Fall of 2002 and 2004
- Table 3. Primary Macroinvertebrate Metrics for Heaths Creek. Based on Six MDNR Collections between Spring 1998 to Fall 2001
- Table 4. Monitoring Locations for AERDOR 2006 Study Period
- Table 5. Sample Number of Validated Continuous Measurements Collected in AERDOR Reference Streams During the 2006 Study Season
- Table 6. Mean Daily Site Minimums and Corresponding Percentiles for AERDOR Reference Streams. Complete-Day ($n \geq 84$ per day) Dissolved Oxygen Concentration Data Collected From 07/12/2006 to 09/14/2006
- Table 7. Times Corresponding to Daily Minimums and Maximums for AERDOR Reference Streams. Complete-Day ($n \geq 84$ per day) Dissolved Oxygen Concentration Data Collected From 07/12/2006 to 09/14/2006
- Table 8. Streamflow Indicators for AERDOR Reference Streams
- Table 9. Sample Number of Validated Discrete Measurements Collected in AERDOR Reference Streams and Classified Tributaries During the 2006 Study Season (7/12/2006 - 9/14/2006)
- Table 10. Median Dissolved Oxygen Concentration and Percent Saturation Values Collected in AERDOR Reference Stream Tributaries during the 2006 Study Season (7/12/2006 - 9/14/2006)
- Table 11. Median Temperature, Specific Conductance, and pH Values Collected in AERDOR Reference Stream Tributaries During the 2006 Study Season (7/12/2006 - 9/14/2006)
- Table 12. Selected Characteristics of the Existing Osage Plains Dissolved Oxygen Dataset
- Table 13. Trophic State According to Classification Scheme Included Within National Nutrient Criteria Guidance (US EPA 2000a). Based on $n=9$ samples between 07/13/2006- 09/14/2006
- Table 14. Evaluated Cause and Response Regression Variables from the 2006 AERDOR Continuous Record Dataset

APPENDICES

- Appendix A. Year 1 Quality Assurance Report
- Appendix B. 2006 Data Fact Sheets
- Appendix C. Landuse Statistics for AERDOR Study Areas 2005 Thematic Mapper Imagery
- Appendix D. Biomonitoring Data
- Appendix E. Determination of Baseflow at Study Sites
- Appendix F. Parameter Statistics
- Appendix G. Method for Determining Expected Stagnant Flow Days
- Appendix H. Stream Metabolism Parameters
- Appendix I. Parameters for Calibrated Biomass-Based Metabolism Model

ACKNOWLEDGMENTS

The U.S. Environmental Protection Agency funded the Assessment of Ecoregional Dissolved Oxygen Regimes (AERDOR) project through the Ecological and Water Resource Assessment Project (EWRAP) grant. The EWRAP grant is managed by the Environmental Resources Coalition (ERC) in Jefferson City, Missouri. Data collection efforts were performed collaboratively by ERC and MEC Water Resources, Inc. Data analysis and interpretation for the AERDOR project were performed by MEC Water Resources, Inc. (MEC) located in Columbia, MO.